

PATENT
Atty. Dkt. No. ATT/2002-0457

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method for providing a data management system, comprising:
preprocessing a database having a relation to produce an index;
receiving a query having aggregation constraints; and
applying said index to look up a result in response to said query having
aggregation constraints.
2. (Original) The method of claim 1, wherein said query having aggregation
constraints includes an n-dimensional vector of constants associated with said
aggregation constraints.
3. (Original) The method of claim 1, wherein said index is produced by
evaluating solution to a knapsack problem on said relation for a select number of
vectors of constants associated with said aggregation constraints.
4. (Original) The method of claim 1, wherein said index contains pointers
pointing to one or more answers that are considered to be said result within a
predefined approximation factor.
5. (Original) The method of claim 1, wherein said index contains pointers
pointing to a plurality of partitions, where if said query falls within one of said
partition, then each partition is representative of a set of answers corresponding
to said result.
6. (Original) The method of claim 1, wherein said preprocessing step
comprises:
identifying a dominating vector of constants, \bar{c}' for a given n-dimensional
vector of constants \bar{c} .

PATENT
Atty. Dkt. No. ATT/2002-0457

7. (Original) The method of claim 6, wherein said preprocessing step further comprises:

obtaining a partition defined by said vector \bar{c} and said vector \bar{c}' .

8. (Original) The method of claim 7, wherein said partition is expressed as a hyper rectangle.

9. (Original) The method of claim 7, wherein said preprocessing step further comprises:

inserting said partition into a multidimensional data structure.

10. (Original) The method of claim 9, wherein said multidimensional data structure is an R-Tree.

11. (Original) The method of claim 1, wherein said result is guaranteed to be accurate within a predefined approximation factor.

12. (Original) The method of claim 11, wherein said predefined approximation factor can be selectively changed.

13. (Original) The method of claim 1, wherein said result is representative of one of more answers that are deemed to be dominant.

14. (Original) The method of claim 1, wherein said result is representative of one of more answers that are deemed to be dominant within an approximation factor.

15.-16. (Canceled)

PATENT
Atty. Dkt. No. ATT/2002-0457

17. (Original) An apparatus for providing a data management system, comprising:
 - means for preprocessing a database having a relation to produce an index;
 - means for receiving a query having aggregation constraints; and
 - means for applying said index to look up a result in response to said query having aggregation constraints.
18. (Canceled)
19. (Original) A computer-readable medium having stored thereon a plurality of instructions, the plurality of instructions including instructions which, when executed by a processor, cause the processor to perform the steps comprising of:
 - preprocessing a database having a relation to produce an index;
 - receiving a query having aggregation constraints; and
 - applying said index to look up a result in response to said query having aggregation constraints.
20. (Canceled)
21. (New) The computer-readable medium of claim 19, wherein said query having aggregation constraints includes an n-dimensional vector of constants associated with said aggregation constraints.
22. (New) The computer-readable medium of claim 19, wherein said index is produced by evaluating solution to a knapsack problem on said relation for a select number of vectors of constants associated with said aggregation constraints.

PATENT
Atty. Dkt. No. ATT/2002-0457

23. (New) The computer-readable medium of claim 19, wherein said index contains pointers pointing to one or more answers that are considered to be said result within a predefined approximation factor.
24. (New) The computer-readable medium of claim 19, wherein said index contains pointers pointing to a plurality of partitions, where if said query falls within one of said partition, then each partition is representative of a set of answers corresponding to said result.